

L Number	Hits	Search Text	DB	Time stamp
1	4878	tlb or dlat or atb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:30
2	8275	translation adj2 (buffer or table or cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:30
3	18	dynamic adj (look-aside or lookaside) adj (cache or table or buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:30
4	11167	(tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:30
5	115	shared near2 ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:31
6	16	invalidat\$3 same (shared near2 ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:32
7	27	tlbie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:32
8	1	shared same tlbie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:32
9	1	shar\$3 same tlbie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:32
10	4049	(shared or global or common) adj (bit or flag or indicator or semaphore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:33
11	262	invalidat\$3 adj2 transaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:34
12	1032	invalidat\$3 adj2 (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:55
13	6	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) with (invalidat\$3 adj2 transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:34
14	32	shar\$3 with (invalidat\$3 adj2 transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:36

15	54898	asid or tid or pid or asn	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:39
16	93100	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:40
17	31	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) and (invalidat\$3 adj2 transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:40
18	1	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) and (shar\$3 with (invalidat\$3 adj2 transaction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:43
19	1380	shar\$3 near5 invalid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:44
20	14	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) same (shar\$3 near5 invalid\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:44
21	100	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) and (shar\$3 near5 invalid\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:44
22	0	((invalidat\$3 adj2 transaction) or (invalidat\$3 adj2 (command or instruction))) and (((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) same (shar\$3 near5 invalid\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:44
23	17	((invalidat\$3 adj2 transaction) or (invalidat\$3 adj2 (command or instruction))) and (((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) and (shar\$3 near5 invalid\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:49
24	24	((shared or global or common) adj (bit or flag or indicator or semaphore)) near7 invalid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:51
25	1502	shar\$3 near7 invalid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:51

26	14	((task or process or function or (address adj space)) adj (id or identifier or identification)) or ((task or process or function or (address adj space)) adj number) or (asid or tid or pid or asn)) same (shar\$3 near7 invalid\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:51
27	2	invalidat\$3 adj2 shar\$3 adj2 (command or instruction or transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:58
28	1233	invalidat\$3 adj2 (command or instruction or transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:58
29	38	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) with (invalidat\$3 adj2 (command or instruction or transaction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:58

21	0	"l29" and (((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) same ((invalidation or invalidating) adj (command or instruction)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:51
22	17	(((invalidation or invalidating) near (command or instruction)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))) and (((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) same ((invalidation or invalidating) adj (command or instruction)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:51
23	0	(((shared or global or common) adj (bit or flag or indicator or semaphore)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))) and (((process or task or instance or module) adj (id or identification or identifier)) or pid or tid or mid) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))) and ("l29" and (((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) same ((invalidation or invalidating) adj (command or instruction))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:52

L Number	Hits	Search Text	DB	Time stamp
1	173969	((process or task or instance or module) adj (id or identification or identifier)) or pid or tid or mid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:27
2	4636	tlb or dlat or atb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:27
3	7382	translation adj2 (buffer or table or cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:27
4	18	dynamic adj (look-aside or lookaside) adj (cache or table or buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:27
5	4049	(shared or global or common) adj (bit or flag or indicator or semaphore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:28
6	346	(invalidation or invalidating) adj (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:49
7	19	((invalidation or invalidating) adj (command or instruction)) near7 (shared or share or sharing or global or common)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:35
8	10152	(tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:36
9	61	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) near5 coherenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:37
10	5	((invalidation or invalidating) adj (command or instruction)) and (((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) near5 coherenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:44
11	221	((process or task or instance or module) adj (id or identification or identifier)) or pid or tid or mid) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:44
12	69	((shared or global or common) adj (bit or flag or indicator or semaphore)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:45

13	33	((shared or global or common) adj (bit or flag or indicator or semaphore)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))) and (((process or task or instance or module) adj (id or identification or identifier)) or pid or tid or mid) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:45
14	17	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) same ((invalidation or invalidating) adj (command or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:45
15	0	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) same ((invalidation or invalidating) adj (command or instruction)) and (((shared or global or common) adj (bit or flag or indicator or semaphore)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))) and (((process or task or instance or module) adj (id or identification or identifier)) or pid or tid or mid) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:45
16	1952	(flush\$3 or purg\$3 or evict\$3) near (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:46
17	53	((flush\$3 or purg\$3 or evict\$3) near (command or instruction)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:46
18	3	((flush\$3 or purg\$3 or evict\$3) near (command or instruction)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))) and ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) same ((invalidation or invalidating) adj (command or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:46
19	462	(invalidation or invalidating) near (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:50
20	21	((invalidation or invalidating) near (command or instruction)) same ((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 07:50

L Number	Hits	Search Text	DB	Time stamp
1	4636	tlb or dlat or atb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:05
2	7382	translation adj2 (buffer or table or cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:05
3	18	dynamic adj (look-aside or lookaside) adj (cache or table or buffer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:05
4	10152	(tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:05
5	118	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) adj2 flush\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:17
6	1	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) adj2 flush\$3 adj (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:17
7	1	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) adj2 flush\$3 adj2 (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:17
8	20	((tlb or dlat or atb) or (translation adj2 (buffer or table or cache)) or (dynamic adj (look-aside or lookaside) adj (cache or table or buffer))) adj2 invalidat\$3 adj2 (command or instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 12:17